



**Commonwealth
of Australia**

Gazette

No. TC 24/41, Wednesday, 16 October 2024
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Applications Reworded.....	3
TCOs Made.....	4

**The Commonwealth of Australia Tariff Concessions Gazette
(the Tariff Concessions Gazette) is free of charge on the link below at:**
<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system>

Contact details:
General Email inquiries including Tapin Help Desk: tarcon@abf.gov.au

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order>

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
8422.30.90 CAPPING MACHINES, BEVERAGE, output NOT less than 10 000 and NOT greater than 121 000 bottles per hour Op. 17.09.24 Stated Use: Glass and PET bottle capping which include crowns, twist and pull ring caps Applicant: REMEDY DRINKS PTY LTD	50 - TC 24228267 5%
8428.90.00 HANDLING MACHINES, KEG INVERTER, multi-step, including ALL of the following: (a) infeed roller conveyor; (b) turner fork; (c) capacity NOT greater than 200 kegs per hour; (d) conveying height NOT greater than 1 000 mm Op. 12.09.24 Stated Use: Inverting kegs through 180 degrees Applicant: SUNTORY BEVERAGE & FOOD AUSTRALIA PTY LTD	50 - TC 24223616 5%
8483.10.99 PROPELLER SHAFTS, having ALL of the following: (a) length NOT greater than 1 765 mm; (b) diameter NOT greater than 150 mm; (c) uni-joints AND yoke Op. 30.07.24 Stated Use: Transfers torque and rotational power from the main transmission shaft to the rear differentials Applicant: KALMAR EQUIPMENT (AUSTRALIA) PTY LTD	50 - TC 24180558 5%
9503.00.30 TOYS, stuffed, textile, representing animals OR non-human creatures Op. 17.09.24 Stated Use: Playing or collecting Applicant: ISALBI PTY LTD	50 - TC 24230586 5%

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 2691(4B)(b) - PROPOSAL TO AMEND DESCRIPTION OF GOODS FOLLOWING AN OBJECTION
SUBMISSION

Amended descriptions have been proposed for the Tariff Concession Order applications shown in the following TABLE.

Australian manufacturers who consider that there are reasons why the Tariff Concession Order as proposed to be amended should not be made are invited to lodge a submission. Submissions must be lodged no later than 14 days after the publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

7228.30.90	50
THREAD BARS, alloy steel, having ALL of the following: (a) hot rolled; (b) continuous course right hand thread; (c) screwable along entire length; (d) cold stretched; (e) stress relieved; (f) diameter NOT less than 26 mm and NOT greater than 80 mm (g) yield strength NOT less than 850 MPa Op. 18.06.24	- TC 24142218

Stated Use:
Creating connections or providing structural support

Applicant: DYWIDAG-SYSTEMS INTERNATIONAL CONSTRUCTION PTY LTD

7228.60.90	50
THREAD BARS, alloy steel, having ALL of the following: (a) hot rolled; (b) continuous course left hand thread; (c) screwable along entire length; (d) diameter NOT less than 36 mm and NOT greater than 80 mm (e) yield strength NOT less than 500 MPa and NOT greater than 700 MPa Op. 18.06.24	- TC 24142223

Stated Use:
Creating connections or providing structural support

Applicant: DYWIDAG-SYSTEMS INTERNATIONAL CONSTRUCTION PTY LTD

7228.60.90	50
THREAD BARS, alloy steel, having ALL of the following: (a) hot rolled; (b) continuous course right hand thread; (c) screwable along entire length; (d) cold stretched; (e) stress relieved; (f) diameter NOT less than 26 mm and NOT greater than 80 mm (g) yield strength NOT less than 830 MPa Op. 08.08.24	- TC 24189018

Stated Use:
For creating connections or providing structural support

Applicant: DYWIDAG-SYSTEMS INTERNATIONAL CONSTRUCTION PTY LTD

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3917.39.90 PIPES, multilayered, with OR without insulation, having ALL of the following: (a) polyethylene of raised temperature (PR-RT) inner layer; (b) aluminium middle layer; (c) polyethylene of raised temperature (PR-RT) outer layer Op. 03.07.24	50 Dec. date 10.10.24 - TC 24156019
3926.90.90 TRAYS, FISH EGG HATCHERY, having ALL of the following: (a) moulded hatching tray; (b) dividing wall; (c) egg grid; (d) snap fit channel cover; (e) water tray Op. 08.07.24	50 Dec. date 11.10.24 - TC 24160926
6802.99.00 QUARTZITE SLABS, polished AND/OR honed having ALL of the following: (a) length NOT greater than 3 300 mm; (b) width NOT greater than 2 100 mm; (c) thickness NOT less than 20 mm and NOT greater than 40 mm Op. 02.07.24	50 Dec. date 10.10.24 - TC 24154616
7326.90.90 CARRIER TUBE, PERFORATING GUN, with OR without loading tube AND/OR thread protector Op. 25.06.24	50 Dec. date 10.10.24 - TC 24148092
8419.89.90 COOLANT DISTRIBUTION UNITS, COMPUTER ROOM, having ALL of the following: (a) variable speed pumps; (b) brazed plate heat exchangers; (c) water valves; (d) stainless steel pipes AND controllers Op. 09.07.24	50 Dec. date 11.10.24 - TC 24161506
8421.21.90 RECYCLED WATER AND DESALINATION TREATMENT VESSELS, having ALL of the following: (a) reverse osmosis pressure horizontal vessels with integrated membrane housings; (b) housings; (c) instruments; (d) membrane smart connectors; (e) multimedia filtration; (f) filtration capacity NOT greater than 200 m3 per hour; (g) structural framework Op. 04.07.24	50 Dec. date 11.10.24 - TC 24159751
8421.29.90 PRESSURE FILTERS, dual media, including ALL of the following: (a) multi-media filtration; (b) horizontal vessel; (c) filtration capacity NOT greater than 200 m3 per hour; (d) structural framework Op. 04.07.24	50 Dec. date 11.10.24 - TC 24159778
8421.99.90 PARTS, DIESEL EMISSION FLUID TANK ASSEMBLY, being ANY of the following: (a) tank; (b) header assembly Op. 26.06.24	50 Dec. date 10.10.24 - TC 24149464

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8422.30.90 PACKING MACHINE, LINED PAPERBOARD CARTON, automated, including ALL of the following: (a) infeed AND outfeed conveyors; (b) case packer; (c) NOT less than two 6 axis robotic arms Op. 25.06.24 Dec. date 10.10.24	50 - TC 24148585
8427.20.00 REACH TRUCKS, operator seated, having ALL of the following: (a) lift capacity at 2 000 mm with a load centre NOT greater than 120 000 kg; (b) lifting height NOT greater than 16 000 mm; (c) diesel 4 stroke engine; (d) electric batteries; (e) wheelbase NOT less than 6 500 mm and NOT greater than 9 250 mm Op. 09.07.24 Dec. date 11.10.24	50 - TC 24161347
8438.10.90 MIXERS, RING LAYER, direct drive, having ALL of the following: (a) horizontal mixing drum; (b) stainless steel heating AND/OR cooling jacket; (c) horizontal shaft; (d) pressurised shaft sealing device; (e) stainless steel base frame; (f) liquid injection nozzles Op. 09.07.24 Dec. date 11.10.24	50 - TC 24161086
8479.89.90 ATMOSPHERIC WATER GENERATORS, having a generation capacity NOT less than 25 litres per day, and NOT greater than 6 000 litres per day Op. 26.06.24 Dec. date 10.10.24	50 - TC 24149787
8481.90.90 PLUG ASSEMBLY, ANGLE CONTROL VALVE Op. 02.07.24 Dec. date 10.10.24	50 - TC 24154685
8501.53.00 INDUCTION MOTORS, SPEED REDUCER, AC, having BOTH of the following: (a) output NOT less than 1,000 kW; (b) torque NOT less than 2,000 Nm Op. 08.07.24 Dec. date 11.10.24	50 - TC 24160234
8708.29.91 PARTS, MOTOR VEHICLE, being a titanium strut bar Op. 11.07.24 Dec. date 11.10.24	50 - TC 24163338